Recommended Conditions of Consent

GENERAL CONDITIONS

The following conditions have been applied to ensure that the use of the land and/or building is carried out in such a manner that is consistent with the aims and objectives of the planning instrument affecting the land.

For the purpose of these conditions, the term 'applicant' means any person who has the authority to act on or benefit of the development consent.

1. **Approved Development**

The development shall be carried out in accordance with the approved plans prepared by Campbelltown City Council, listed below, and all associated documentation supporting this consent, except as modified in red by Council and / or any conditions within.

Drawing No.	Date
Job No. 12485 Sheet 1	26 June 2013
Job No. P0312, Sheets 1, 2, 4, 5, 6, 7 and 8	May 2012
Job No. P0312 Sheet 3A	July 2013
Ecoloo Plans and Specification Sheet	January 2011

2. **Building Code of Australia**

All building work must be carried out in accordance with the provisions of the Building Code of Australia. In this clause, a reference to the Building Code of Australia is a reference to that Code as in force on the date the application for the relevant construction certificate is made.

3. **External Finishes**

The external finishes shall be in accordance with the approved plans and the schedule of finishes submitted with this application. Any proposed alterations to these finishes are considered to be a modification to the development consent and require separate approval by Council.

4. Lighting

Illumination of the site is to be arranged to provide an appropriate level of lighting and in accordance with the requirements of Australian Standard 4282 (as amended) so as not to impact upon the amenity of the occupants of adjoining and nearby residential premises or traffic. Should complaints be received in respect of the approved lighting, the lighting shall be adjusted so as to mitigate any potential impacts on the occupants of adjoining and nearby residential premises or traffic.

5. Graffiti Removal

The skate park shall be constructed with graffiti-proof materials or have a graffiti-proof coating applied to the surfaces of the skate park.

In accordance with the environmental maintenance objectives of 'Crime Prevention Through Environmental Design', the owner of the land and facilities shall be responsible for the removal of any graffiti which appears on the facilities, equipment, buildings, fences, signs and other surfaces of the property within 48 hours of its application.

6. Unreasonable Noise

The development, including operation of vehicles, shall be conducted so as to avoid the generation of unreasonable noise, and cause no interference to adjoining or nearby occupants.

In the event of a noise related issue arising, the person in charge of the premises shall when instructed by Council, cause to be carried out an acoustic investigation by an appropriate acoustical consultant and submit the results to Council. If required by Council, the person in charge of the premises shall implement any or all of the recommendations of the consultant and any additional requirements of Council to its satisfaction.

7. Drinking Fountain

A public drinking fountain shall be provided for the use of patrons of the skate park.

8. Engineering Design Works

The design of all engineering works shall be carried out in accordance with the requirements set out in the Campbelltown (Sustainable City) DCP 2009 - Volumes 1 and 2.

9. Operating Hours for Floodlights and Public Toilet

The hours of operation of the floodlights and public toilet shall be limited to:

 Monday
 6:30pm to 9:30pm

 Tuesday
 6:30pm to 9:30pm

 Wednesday
 6:30pm to 9:30pm

 Thursday
 6:30pm to 9:30pm

 Friday
 6:30pm to 10:00pm

 Saturday
 6:30pm to 10:00pm

 Sunday
 6:30pm to 9:30pm

10. Litter Patrols

The applicant shall arrange for the skate park and its surrounds to be inspected and all litter cleared from the site at least on a daily basis.

11. Safety and Security

In accordance with the principles of Crime Prevention Through Environmental Design, the following requirements shall be complied with at all times:

- The landscaping/shrubbery shall be kept well maintained to reduce concealment opportunities and allow clear sight lines from passing motorists, local streets and nearby houses. The skate park shall be kept free of obstacles and rubbish
- A lighting maintenance policy shall be established for the floodlights, which ensures that broken lights are repaired within 24 hours
- Luminaries (light covers) shall be vandal resistant
- Consultation with the users of the skate park should take place in relation to the general rules of the skate park
- A surveillance system may be installed around the location to enhance the physical security of the area and assist in the identification of people involved in anti-social or criminal behaviour
- Using stainless steel mirrors can assist with blind corners such as those within the toilet block
- Sight lines should be kept as simple as possible. Clear sightlines should be maintained between the skate park and any buildings, landmarks, local streets and surrounding houses to assist in the overall surveillance of the site
- Any signs installed shall be clear, legible and useful
- A graffiti management plan shall be incorporated into the maintenance plan for the skate park
- The use of security sensor lights and a security company to monitor the site while construction in progress is recommended.

12. Shoring and Adequacy of Adjoining Property

If the development referred to in this development consent involves an excavation that extends below the level of the base of the footings of a building on adjoining land, the person having the benefit of the development consent must at the person's own expense:

- a. Protect and support the adjoining premises from possible damage from the excavation, and
- b. Where necessary, underpin the adjoining premises to prevent any such damage.

This condition does not apply if the person having the benefit of the development consent owns the adjoining land or the owner of the adjoining land has given consent in writing to that condition not applying.

13. Construction Certificate

Prior to the commencement of any works that require a construction certificate:

- a. The applicant shall obtain a construction certificate for the particular works;
- b. The applicant shall appoint a principal certifying authority; and
- c. The private certifying authority shall notify Council of their appointment no less than two days prior to the commencement of any works

14. 'No Stopping' Zone

A 'No Stopping' Zone is to be created and demarcated with appropriate signage on the northern side of Kellerman Drive adjacent to St Helens Park Reserve, from the intersection of Kellerman Drive and Appin Road onwards. The length of the 'No Stopping' Zone shall be subject to the approval of the Local Traffic Committee.

PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE

The following conditions of consent must be complied with prior to the issue of a construction certificate by either Campbelltown City Council or an accredited certifier. All necessary information to comply with the following conditions of consent must be submitted with the application for a construction certificate.

15. Sydney Water Stamped Plans

Prior to Council or an accredited certifier issuing a construction certificate, the approved plans must be submitted to a Sydney Water Quick Check agent to determine whether the development will affect any Sydney Water wastewater and water mains, stormwater drains and/or easements, and if any requirements need to be met. Plans will be appropriately stamped.

Please refer to the web site www.sydneywater.com.au for:

- Quick Check agents details see Building and Developing then Quick Check and
- Guidelines for Building Over/Adjacent to Sydney Water Assets see Building and Developing then Building and Renovating

or telephone 13 20 92.

16. Mine Subsidence Board

Prior to Council or an accredited certifier issuing a construction certificate, the applicant shall obtain written approval from the Mine Subsidence Board for the plans approved by Council under this development consent.

17. Soil and Water Management Plan

Prior to Council or an accredited certifier issuing a construction certificate, a detailed soil and water management plan shall be submitted for approval.

18. Stormwater Management Plan (Development)

Prior to Council or an accredited certifier issuing a construction certificate, a plan indicating all engineering details and calculations relevant to site regrading and the collection and disposal of stormwater from the site, building/s and adjacent catchment, shall be submitted for approval. Floor levels of all buildings shall be a minimum of 150mm above the adjacent finished site levels and stormwater shall be conveyed from the site to the Council stormwater system. All proposals shall comply with the Campbelltown (Sustainable City) DCP 2009 - Volumes 1 and 2.

19. Design for Access and Mobility

Prior to Council or an accredited certifier issuing a Construction Certificate, the applicant shall demonstrate by way of detailed design, compliance with the relevant access requirements of the BCA and AS 1428 – Design for Access and Mobility.

PRIOR TO THE COMMENCEMENT OF ANY WORKS

The following conditions of consent have been imposed to ensure that the administration and amenities relating to the proposed development comply with all relevant requirements. These conditions are to be complied with prior to the commencement of any works on site.

20. Erosion and Sediment Control

Prior to the commencement of any works on the land, adequate/approved erosion and sediment control measures shall be fully installed/implemented.

21. Erection of Construction Sign

Prior to the commencement of any works on the land, a sign/s must be erected in a prominent position on the site:

- a. Showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours
- b. Stating that unauthorised entry to the work site is prohibited
- c. Pollution warning sign promoting the protection of waterways (issued by Council with the development consent)
- d. Stating the approved construction hours in which all works can occur
- e. Showing the name, address and telephone number of the principal certifying authority for the work.

Any such sign/s is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

22. Toilet on Construction Site

Prior to the commencement of any works on the land, toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part thereof. Each toilet provided must be a standard flushing toilet and be connected to:

- a. A public sewer, or
- b. If connection to a public sewer is not practicable, to an accredited sewage management facility approved by Council, or
- c. If connection to a public sewer or an accredited sewage management facility is not practicable, to some other management facility approved by Council.

23. Trade Waste

Prior to the commencement of any works on the land, a trade waste facility shall be provided on-site to store all waste pending disposal. The facility shall be screened, regularly cleaned and accessible to collection vehicles.

24. Vehicular Access during Construction

Prior to the commencement of any works on the land, a single vehicle/plant access to the site shall be provided, to minimise ground disturbance and prevent the transportation of soil onto any public road system. Single sized aggregate, 40mm or larger placed 150mm deep, extending from the kerb and gutter to the property boundary, shall be provided as a minimum requirement.

25. Public Property

Prior to the commencement of any works on site, the applicant shall advise Council of any damage to property which is controlled by Council which adjoins the site, including kerbs, gutters, footpaths, and the like. Failure to identify existing damage may result in all damage detected after completion of the development being repaired at the applicant's expense.

26. Hoarding / Fence

Prior to the commencement of any works, a hoarding or fence must be erected between the work site and a public place if the work involved in the development is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or if the building involves the enclosure of a public place in accordance with Work Cover requirements.

The work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place.

A separate land use application under Section 68 of the *Local Government Act 1993* shall be submitted to and approved by Council prior to the erection of any hoarding on public land.

27. Fencing

An appropriate fence preventing public access to the site shall be erected for the duration of construction works.

DEVELOPMENT REQUIREMENTS DURING CONSTRUCTION

The following conditions of consent have been imposed to ensure that the administration and amenities relating to the proposed development comply with all relevant requirements. These conditions are to be complied with during the construction of the development on site.

28. Construction Work Hours

All work on site shall only occur between the following hours:

Monday to Friday 7.00am to 6.00pm Saturday 8.00am to 1.00pm

Sunday and public holidays No Work.

29. Erosion and Sediment Control

Erosion and sediment control measures shall be provided and maintained throughout the construction period, in accordance with the requirements of the manual – Soils and Construction (2004) (Bluebook), the approved plans, Council specifications and to the satisfaction of the principal certifying authority. The erosion and sedimentation control devices shall remain in place until the site has been stabilised and revegetated.

Note: On the spot penalties up to \$1,500 will be issued for any non-compliance with this requirement without any further notification or warning.

30. Work Zones

All loading, unloading and other activities undertaken during construction shall be accommodated on the development site.

Where it is not practical to load, unload or undertake specific activities on the site during construction, the provision of a 'Work Zone' external to the site may be approved by Council following an application being submitted to Council's Traffic Unit outlining the proposal for the work zone. The application is required to be made prior to the commencement of any works and is to include a suitable 'Traffic / Pedestrian Management and Control Plan' for the area of the work zone that will be affected. All costs of approved traffic / pedestrian control measures, including relevant fees, shall be borne by the applicant.

31. Protection of Existing Trees

During construction, no trees are to be cut down, lopped, destroyed or removed without the separate written approval of Council unless those trees are within three metres of the footprint of a building that has been approved by Council.

All trees that are to be retained are to be protected by fencing, firmly staked within the drip line/canopy of the tree and maintained during the duration of the works. The area within the fencing must not be used for stockpiling of any material, nor for vehicle or pedestrian convenience.

All useable trees and shrubs shall be salvaged for re-use, either in log form, or as woodchip mulch for erosion control or garden beds or site rehabilitation. Non-salvable materials such as roots and stumps shall be disposed of to a waste management centre or other approved form.

32. Excavation and Backfilling

All excavations and backfilling associated with the approved works must be executed safely and in accordance with appropriate professional standards. All excavations must be properly guarded and protected to prevent them from being dangerous to life or property.

If an excavation associated with the approved works extends below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation to be made:

- a. Must preserve and protect the building from damage; and
- b. If necessary, must underpin and support the building in an approved manner, and
- c. Must, at least seven days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished.

The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out, whether carried out on the allotment of land being excavated or on the adjoining allotment of land.

33. Dust Nuisance

Measures shall be implemented to minimise wind erosion and dust nuisance in accordance with the requirements of the manual – 'Soils and Construction (2004) (Bluebook). Construction areas shall be treated/ regularly watered to the satisfaction of the principal certifying authority.

34. Public Safety

Any works undertaken in a public place are to be maintained in a safe condition at all times in accordance with AS 1742.3. Council may at any time and without prior notification make safe any such works Council considers to be unsafe, and recover all reasonable costs incurred from the applicant.

35. Associated Works

The applicant shall undertake any works external to the development, that are made necessary by the development, including additional road and drainage works or any civil works directed by Council, to make a smooth junction with existing work.

PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

The following conditions of consent must be complied with prior to the issue of an occupation certificate by either Campbelltown City Council or an accredited principal certifying authority. All necessary information to comply with the following conditions of consent must be submitted with the application for an occupation certificate.

Note: For the purpose of this development consent, any reference to "occupation certificate" shall also be taken to mean "interim occupation certificate".

36. Completion of External Works Onsite

Prior to the principal certifying authority issuing an occupation certificate, all external works, repairs and renovations detailed in the schedule of treatment/finishes, landscaping, driveways, fencing and retaining walls to be completed to the satisfaction of the principal certifying authority.

37. Public Utilities

Prior to the principal certifying authority issuing an occupation certificate, any adjustments to public utilities, required as a result of the development, shall be completed to the satisfaction of the relevant authority and at the applicant's expense.

38. Council Fees and Charges

Prior to the principal certifying authority issuing an occupation certificate, the applicant shall obtain written confirmation from Council that all applicable Council fees and charges associated with the development have been paid in full. Written confirmation will be provided to the applicant following Council's final inspection and satisfactory clearance of the public area adjacent the site.

ADVISORY NOTES

The following information is provided for your assistance to ensure compliance with the *Environmental Planning and Assessment Act 1979*, Environmental Planning and Assessment Regulation 2000, other relevant Council Policy/s and other relevant requirements. This information does not form part of the conditions of development consent pursuant to Section 80A of the Act.

Advice 1. Environmental Planning and Assessment Act 1979 Requirements

The Environmental Planning and Assessment Act 1979 requires you to:

- a. Obtain a construction certificate prior to the commencement of any works. Enquiries regarding the issue of a construction certificate can be made to Council's Customer Service Centre on 4645 4000.
- b. Nominate a principal certifying authority and notify Council of that appointment prior to the commencement of any works.
- c. Give Council at least two days notice prior to the commencement of any works.
- d. Have mandatory inspections of nominated stages of the construction inspected.
- e. Obtain an occupation certificate before occupying any building or commencing the use of the land.

Advice 2. Tree Preservation Order

To ensure the maintenance and protection of the existing natural environment, you are not permitted to ringbark, cut down, top, lop, remove, wilfully injure or destroy a tree outside three metres of the building envelope unless you have obtained prior written consent from Council. Fines may be imposed if you choose to contravene Council's Tree Preservation Order.

A tree is defined as a perennial plant with self supporting stems that are more than three metres or has a trunk diameter more than 150mm measured one metre above ground level, and excludes any tree declared under the *Noxious Weeds Act (NSW)*.

Advice 3. Provision of Equitable Access

Nothing in this consent is to be taken to imply that the development meets the requirements of the *Disability Discrimination Act 1992* (DDA1992) or Disability (Access to Premises – Buildings) Standards 2010 (Premises Standards).

Where a Construction Certificate is required for the approved works, due regard is to be given to the requirements of the Building Code of Australia (BCA) & the Premises Standards. In this regard it is the sole responsibility of the certifier, building developer and building manager to ensure compliance with the Premises Standards.

Where no building works are proposed and a Construction Certificate is not required, it is the sole responsibility of the applicant and building owner to ensure compliance with the DDA1992.

Advice 4. Covenants

The land upon which the subject building is to be constructed may be affected by restrictive covenants. Council issues this approval without enquiry as to whether any restrictive covenant affecting the land would be breached by the construction of the building, the subject of this permit. Persons to whom this permit is issued must rely on their own enquiries as to whether or not the building breaches any such covenant.

Advice 5. Asbestos Warning

Should asbestos or asbestos products be encountered during construction or demolition works you are advised to seek advice and information prior to disturbing the material. It is recommended that a contractor holding an asbestos-handling permit (issued by Work Cover NSW), be engaged to manage the proper disposal and handling of the material. Further information regarding the safe handling and removal of asbestos can be found at:

www.environment.nsw.gov.au www.nsw.gov.au/fibro www.adfa.org.au www.workcover.nsw.gov.au

Alternatively, call Work Cover Asbestos and Demolition Team on 8260 5885.

Advice 6. Smoke Free Environment Act

Nothing in this consent is to be taken to imply that the development meets the requirements of the *Smoke Free Environment Act 2000* (SFEA2000) or the Smoke Free Environment Regulations 2007 (SFER2007). In the event that the occupier wishes to facilitate smoking within any enclosed public place of the premises (in accordance with clause 6 of the SFER2007), the occupier must first contact NSW Department of Health to ensure that the design and construction of the area proposed to facilitate smoking fully complies with the requirements of the SFEA2000 and the SFER2007.

Advice 7. Dial 1100 Before you Dig

Underground cable and pipes may exist in the area. In your own interest and for safety, telephone 1100 before excavation or erection of structures. Information on the location of underground pipes and cables can also be obtained by fax on 1300 652 077 or through the following website - www.dialbeforeyoudig.com.au.

Advice 8. Telecommunications Act 1997 (Commonwealth)


Please note that under the *Telecommunications Act 1997* (Commonwealth) Telstra's written authorisation is required before any person can enter land or undertake work on any Telstra's assets. Any person caught interfering with a facility or installation owned or operated by Telstra is committing an offence under the *Criminal Code Act 1995* (Commonwealth) and is liable for prosecution. If you are aware of any works or proposed works which may affect or may impact on Telstra's assets in any way please contact Telstra's Network Integrity Team on phone number 1800 810 443.

END OF CONDITIONS


Locality Plan



Site Plan



Plan of Proposed Footpath



Public Toilet Plans



Public Toilet Plans



MANUAL SUPER SINGLE TOILET MODEL: 31

NZ: Tel: 0800


Tel: 0800-393-566 Email: sales@exeloo.com


AUST: Tel: 1800-501-069 Email: sales@exeloo.com.au This unit is designed to meet the needs of disabled users as required under AS1428.1:2009 and ADA.

SPECIFICATION SHEET

JANUARY 2011

STRUCTURE	FIXTURES	SPE	CIAL FEATURES
WALLS - 75mm Steel fibre reinforced concrete.	SOAP DISPENSER, BASIN, HAND DRYER - Exeloo stainless steel sensor operated unit incorporating soap dispenser, water supply and hand dryer.		Locks the unit up at night and opens again in the morning at selected times.
FLOOR - 100mm Fibre reinforced concrete. ROOF - High quality, fire retardant moulded fibreglass. Monaco style.	TOILET PAN - Stainless steel toilet pan with closed front toilet seat. FLUSHING UNIT - Concealed mains pressure flushing valve. TOILET TISSUE DISPENSER		Provides a range of voice messages to assist users and background music. Controls a fixed occupation time alarm to discourage loitering.
CEILINGS - High quality, fire retardant moulded fibreglass. DOORS - Stainless steel panel door in a Cavity Slider unit. Opening width manual - 855mm	Quality stainless steel jumbo roll dispenser MIRROR – Stainless steel.	5.	Provides statistical information on toilet usage. Controls an illuminated outside instruction panel.
EXTERIOR WALL SURFACE - Texture surface, with graffiti resistant epoxy paint finish. INTERIOR WALL LININGS - Flooring	EXTERNAL INFORMATION PANEL – Stainless steel with embossed aluminium signage. HAND RAILS – 32mm 304 grade stainless steel	6.	Door closer ensures unit is closed when not in use.
grade white ceramic tiles with moisture resistant grout.	hand rails.		
VENTILATION - A 60mm gap around top of walls. Extract fan available if ventilation not achievable.	LIGHTING – Stainless steel light box with 2 x 36 watt fluorescent bulbs behind a toughened glass diffuser.		
FLOOR SURFACE - Non slip flooring grade ceramic tiles with moisture resistant grout.	LOCKING - Concealed electromagnetic lock,		






This information is intended to give a fair description of the product and does not constitute an offer by the manufacturer, warranty or guarantee to its accuracy, performance or suitability. Specifications may change at any time without notice.

©Copyright Exeloo Ltd Jan 2011

Skate Park Elevations



Skate Park Elevations

